





BS Series





BESCA Strut Channel

BESCA Strut Channel is the original metal framing system featuring a unique weldless connection. The BESCA Strut Channel system eliminates welding and drilling, and is easily adjustable and reusable for infinite configurations.

Standard finish of BESCA Strut Channel as below, customize available:

- **G** ---- Pre-galvanized steel
- **H** ---- Hot Dip Galvanized
- **S4** --- Stainless Steel SS304
- **S6** --- Stainless Steel SS316
- **P** ---- Powder Coated
- **M** ---- Mill / Plain Steel
- **A** ---- Aluminium
- **FRP** -- Fiberglass Reinforced Plastics / GRP

BESCA Strut Channel Advantages:

1. 100% Adjustable
2. 100% Reusable
3. No Welding
4. No Drilling
5. No Special Tools


Suffix	Finish
G	Pre-Galvanized / PG / GI
H	Hot Dip Galvanized / HDG
S4	Stainless Steel SS304
S6	Stainless Steel SS316

Suffix	Finish
FRP	Fiberglass Reinforced Plastics / GRP
M	Mill / Plain Steel
P	Powder Coated
A	Aluminum

BS1000 Plain Channel P/03	BS1000T Slotted Channel P/03	BS3300 Plain Channel P/03	BS3300T Slotted Channel P/03	BS5500 Plain Channel P/03	BS5500T Slotted Channel P/03	BS7000 Plain Channel P/03	BS7000T Slotted Channel P/03	BS8000 Plain Channel P/03
BS8000T Slotted Channel P/03	BS2000 Plain Channel P/04	BS2000T Slotted Channel P/04	BS4000 Plain Channel P/04	BS4000T Slotted Channel P/04	BS1001 Combination Channel P/04	BS3301 Combination Channel P/04	BS1000C1 Concrete Insert Channel P/04	BS3000C1 Concrete Insert Channel P/04
BS1180 Channel Closures P/04	BS3380 Channel Closures P/04	BS5580 Channel Closures P/05	BS1184 Channel Closures P/05	B1062 1 Hole Straight Fitting P/05	B1036 3 hole 90° Corner Bend Fitting P/05	B1065 2 Hole Straight Fitting P/05	B1066 3 Hole Straight Fitting P/05	B1067 4 Hole Straight Fitting P/05
B1941 5 Hole Straight Fitting P/05	B1358 4 Hole Fitting: 2 vertical and 2 horizontal P/05	B1031 4 Hole T Shape Fitting P/05	B1026 2 Hole 90° Vertical Bend Fitting P/06	B1068 2 Hole 90° Vertical Bend Fitting P/06	B1326 3 Hole 90° Vertical Bend Fitting P/06	B1458 3 Hole 90° Vertical Bend Fitting P/06	B1325 4 Hole 90° Vertical Bend Fitting P/06	B2484 6 Hole Braced 90° Fitting P/06
B1037 3 Hole Right Hand Side 90° Fitting P/06	B1033 4 Hole Right Hand Side 90° Fitting P/06	B1357 3 Hole 90° Fitting; 2 Horizontal, 1 Vertical Holes P/06	B1359 4 Hole 90° Fitting; 2 Horizontal, 2 Vertical Holes P/06	B4045 2 Hole 21mm Inside Height Fitting P/07	B1045 3 Hole 41mm Inside Height Fitting P/07	B4047 3 Hole 21mm Inside Height Fitting P/07	B1047 5 Hole 41mm Inside Height Fitting P/07	B5547 3 Hole 61mm Inside Height Fitting P/07
B1186 Acute Angle Fitting P/07	B1546 Obtuse Angle Fitting P/07	B2224 U Fitting P/07	B2228 U Fitting P/07	B2346 U Fitting P/07	B1376 U Fitting P/08	B1377 U Fitting P/08	B1044 U Fitting P/08	B2072 Base Plate P/08
B2073 Base Plate P/08	B2072A Base Plate P/08	B1271 Beam Clamp P/08	B2785 & 2786 Beam Clamp P/08	BLP Beam Clamp P/08	RHPA Rod Hanger Central Mounting Plate P/08	RHPB Rod Hanger Vertical Mounting Plate P/09	RHPC Rod Hanger Horizontal Mounting Plate P/09	P1006/7/8/10 Channel Nut with Spring P/09
P3006/7/8/10 Channel Nut Short Spring P/09	P5008/10 Channel Nut Long Spring P/09	P4006/7/8/10 Channel Nut no Spring P/09	CSS Countersunk Set Screws P/09	CHB Cup Head Bolts P/09	LDIA Lipped Drop-In Anchor P/09	BN SB & SN P/09	HN Hex Nuts P/10	FN Flange Nuts P/10
PS Pan Screws P/10	SW Spring Washers P/10	FW Flat Washers P/10	MGW Mud Guard Washers P/10	FRC Rod Coupler P/10	TR Threaded Rod P/10	HS Hex Screws P/10	CCP Conduit Clamp P/11	SCCP Single Cable Clamp P/11
SCP Saddle Clamp P/11	PHC Pear Hanger Clamp P/11	IPC Insulated Pipe Clamp P/11						


BS1000 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS1000G	41	41	3000




BS1000T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS1000TG	41	41	3000




BS3300 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS3300G	41	21	3000




BS3300T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS3300G	41	21	3000




BS5500 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS5500G	41	62	3000




BS5500T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS5500TG	41	62	3000




BS7000 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS7000G	41	72	3000




BS7000T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS7000TG	41	72	3000




BS8000 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS8000G	41	82	3000




BS8000T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS8000TG	41	82	3000




BS2000 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS2000G	41	41	3000




BS2000T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS2000TG	41	41	3000




BS4000 Plain Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS4000G	41	21	3000




BS4000T Slotted Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS4000TG	41	21	3000




BS1001 Combination Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS1001G	41	41	3000




BS3301 Combination Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS3301G	41	21	3000




BS1000C1 Concrete Insert Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS1000C1G	41	41	3000




BS3000C1 Concrete Insert Channel

Ordering Code	W (mm)	H (mm)	L (mm)
BS3000C1G	41	21	3000




BS1180 Channel Closures

Ordering Code	W (mm)	H (mm)
BS1180	41	41




BS3380 Channel Closures

Ordering Code	W (mm)	H (mm)
BS3380	41	21




BS5580 Channel Closures

Ordering Code	W (mm)	H (mm)
BS5580	41	62




BS1184 Channel Closures

Ordering Code	W (mm)	L (mm)
BS1184	41	3000




B1062 1 Hole Straight Fitting

Ordering Code	Bolt Size (mm)	Hole Size (mm)	Mass (kg/100)
B1062	8	9	7.7
B1063	10	12	7.3
B1064	12	14	6.8




B1036 3 hole 90° Corner Bend Fitting

Ordering Code	Mass (kg/100)
B1036	26.3



B1065 2 Hole Straight Fitting

Ordering Code	Mass (kg/100)
B1065	17.2




B1066 3 Hole Straight Fitting

Ordering Code	Mass (kg/100)
B1066	26.8




B1067 4 Hole Straight Fitting

Ordering Code	Mass (kg/100)
B1067	34.5




B1941 5 Hole Straight Fitting

Ordering Code	Mass (kg/100)
B1941	44.3



B1358 4 Hole Fitting: 2 vertical and 2 horizontal

Ordering Code	Mass (kg/100)
B1358	48




B1031 4 Hole T Shape Fitting

Ordering Code	Mass (kg/100)
B1031	36.3




B1026 2 Hole 90° Vertical Bend Fitting

Ordering Code	Mass (kg/100)
B1026	17




B1068 2 Hole 90° Vertical Bend Fitting

Ordering Code	Mass (kg/100)
B1068	17




B1326 3 Hole 90° Vertical Bend Fitting

Ordering Code	Mass (kg/100)
B1326	24



B1458 3 Hole 90° Vertical Bend Fitting

Ordering Code	Mass (kg/100)
B1458	24




B1325 4 Hole 90° Vertical Bend Fitting

Ordering Code	Mass (kg/100)
B1325	33




B2484 6 Hole Braced 90° Fitting

Ordering Code	Mass (kg/100)
B2484	61




B1037 3 Hole Right Hand Side 90° Fitting

Ordering Code	Mass (kg/100)
B1037	25
B1038	25




B1033 4 Hole Right Hand Side 90° Fitting

Ordering Code	Mass (kg/100)
B1033	35




B1357 3 Hole 90° Fitting; 2 Horizontal, 1 Vertical Holes

Ordering Code	Mass (kg/100)
B1357	32




B1359 4 Hole 90° Fitting; 2 Horizontal, 2 Vertical Holes

Ordering Code	Mass (kg/100)
B1359	48




B4045 2 Hole 21mm Inside Height Fitting

Ordering Code	Mass (kg/100)
B4045	20




B1045 3 Hole 41mm Inside Height Fitting

Ordering Code	Mass (kg/100)
B1045	24.9




B4047 3 Hole 21mm Inside Height Fitting

Ordering Code	Mass (kg/100)
B4047	32.4




B1047 5 Hole 41mm Inside Height Fitting

Ordering Code	Mass (kg/100)
B1047	38.6




B5547 3 Hole 61mm Inside Height Fitting

Ordering Code	Mass (kg/100)
B5547	47



B1186 Acute Angle Fitting

Ordering Code	Mass (kg/100)
B1186	28.6




B1546 Obtuse Angle Fitting

Ordering Code	Mass (kg/100)
B1546	28.6




B2224 U Fitting

Ordering Code	Mass (kg/100)
B2224	50




B2228 U Fitting

Ordering Code	Mass (kg/100)
B2228	80.3




B2346 U Fitting

Ordering Code	Mass (kg/100)
B2346	66



B1376 U Fitting

Ordering Code	Mass (kg/100)
B1376	56



B1377 U Fitting

Ordering Code	Mass (kg/100)
B1377	120.7




B1044 U Fitting

Ordering Code	Mass (kg/100)
B1044	30




B2072 Base Plate

Ordering Code	Mass (kg/100)
B2072	142.4




B2073 Base Plate

Ordering Code	Mass (kg/100)
B2073	149.7



B2072A Base Plate

Ordering Code	Mass (kg/100)
B2072A	177.8



B1271 Beam Clamp

Ordering Code	Mass (kg/100)
B1271	48




B2785 & 2786 Beam Clamp

Ordering Code	Mass (kg/100)
B2785	41.3
B2786	41.3





BLP Beam Clamp

Ordering Code	Size
BLP08	M8
BLP10	M10
BLP12	M12




RHPA Rod Hanger Central Mounting Plate

Ordering Code
RHPA




RHPB Rod Hanger Vertical Mounting Plate

Ordering Code
RHPB



RHPC Rod Hanger Horizontal Mounting Plate

Ordering Code
RHPC




P1006/7/8/10 Channel Nut with Spring

Ordering Code	Size
P1006	M6
P1007	M8
P1008	M10
P1010	M12



P3006/7/8/10 Channel Nut Short Spring

Ordering Code	Size
P3006	M6
P3007	M8
P3008	M10
P3010	M12




P5008/10 Channel Nut Long Spring

Ordering Code	Size
P5008	M10
P5010	M12



P4006/7/8/10 Channel Nut no Spring

Ordering Code	Size
P4006	M6
P4007	M8
P4008	M10
P4010	M12




CSS Countersunk Set Screws

Ordering Code	Size
CSS0615	M6 x 15
CSS0620	M6 x 20
CSS0815	M8 x 15
CSS0820	M8 x 20
CSS1020	M10 x 20
CSS1025	M10 x 25



CHB Cup Head Bolts

Ordering Code	Size
CHB0616	M6 x 16
CHB0620	M6 x 20
CHB0816	M8 x 16
CHB0820	M8 x 20
CHB1016	M10 x 16
CHB1020	M10 x 20
CHB1025	M10 x 25
CHB1030	M10 x 30
CHB1225	M12 x 25
CHB1230	M12 x 30



LDIA Lipped Drop-In Anchor


Ordering Code	Size
LDIA0625	M6 x 25
LDIA0830	M8 x 30
LDIA1040	M10 x 40
LDIA1250	M12 x 50



BN SB & SN

Ordering Code	Size
BN	

Both items are ordered separately.




HN Hex Nuts

Ordering Code	Size
HN06	M6
HN08	M8
HN10	M10
HN12	M12



FN Flange Nuts

Ordering Code	Size
FN06	M6
FN08	M8
FN10	M10
FN12	M12



PS Pan Screws

Ordering Code	Size
PS0620	M6 x 20
PS0625	M6 x 25
PS0630	M6 x 30
PS0640	M6 x 40
PS0820	M8 x 20
PS0825	M8 x 25
PS0830	M8 x 30
PS0840	M8 x 40



SW Spring Washers

Ordering Code	Size
SW06	M6
SW08	M8
SW10	M10
SW12	M12




FW Flat Washers

Ordering Code	Size
FW06	M6
FW08	M8
FW10	M10
FW12	M12




MGW Mud Guard Washers

Ordering Code	Size
MGW06	M6
MGW08	M8
MGW10	M10
MGW12	M12




FRC Rod Coupler

Ordering Code	Size
FRC06	M6
FRC08	M8
FRC10	M10
FRC12	M12



TR Threaded Rod

Ordering Code	Size
TR06	M6
TR08	M8
TR10	M10
TR12	M12




HS Hex Screws

Ordering Code	Size
HS0620	M6 x 20
HS0625	M6 x 25
HS0820	M8 x 20
HS0830	M8 x 30
HS1030	M10 x 30
HS1230	M12 x 30



CCP Conduit Clamp


Ordering Code	ΦD	Ordering Code	ΦD
CCP021	21.3	CCP089	88.9
CCP027	26.9	CCP114	113.3
CCP034	33.7	CCP140	139.7
CCP043	42.4	CCP165	165.1
CCP048	48.3	CCP219	219
CCP060	60.3	CCP273	273
CCP076	76.1	CCP324	324



CCP Conduit Clamp

SCCP Single Cable Clamp

Ordering Code	ΦD	Ordering Code	ΦD
SCCP021	21.3	SCCP089	88.9
SCCP027	26.9	SCCP114	113.3
SCCP034	33.7	SCCP140	139.7
SCCP043	42.4	SCCP165	165.1
SCCP048	48.3	SCCP219	219
SCCP060	60.3	SCCP273	273
SCCP076	76.1	SCCP324	324



SCCP Single Cable Clamp

SCP Saddle Clamp

Ordering Code	ΦD	Ordering Code	ΦD
SCP021	21.3	SCP089	88.9
SCP027	26.9	SCP114	113.3
SCP034	33.7	SCP140	139.7
SCP043	42.4	SCP165	165.1
SCP048	48.3	SCP219	219
SCP060	60.3	SCP273	273
SCP076	76.1	SCP324	324



SCP Saddle Clamp

PHC Pear Hanger Clamp

Ordering Code	ΦD	Ordering Code	ΦD
PHC021	21.3	PHC089	88.9
PHC027	26.9	PHC114	113.3
PHC034	33.7	PHC140	139.7
PHC043	42.4	PHC165	165.1
PHC048	48.3	PHC219	219
PHC060	60.3	PHC273	273
PHC076	76.1	PHC324	324



PHC Pear Hanger Clamp

IPC Insulated Pipe Clamp

Ordering Code	ΦD Range	Ordering Code	ΦD Range
IPC12-14	12-14	IPC63-67	63-67
IPC15-19	15-19	IPC74-80	74-80
IPC21-23	21-23	IPC83-91	83-91
IPC26-28	26-28	IPC101-106	101-106
IPC32-35	32-35	IPC108-114	108-114
IPC40-43	40-43	IPC140-144	140-144
IPC50-56	50-56	IPC159-163	159-163
IPC57-61	57-61	IPC165-169	165-169



IPC Insulated Pipe Clamp